## I CLAIM:

- A method for treating patients having problems in motor functions,
  said method comprising:
  - a) relaxing a muscle;

5

- b) stretching the patient; and
- c) fixing results achieved in steps a) and b).
- 2. The method of claim 1, wherein step a precedes step b, and step b precedes step c.
  - 3. The method of claim 1, further comprising:

10

- d) repeating steps a) through c).
- 4. The method of claim 1, wherein the relaxing step comprises applying acupressure to points of influence.
- 5. The method of claim 4, wherein acupressure is applied from a direction perpendicular to the patient's body with gentle vibration.
- 15 6. The method of claim 4, wherein acupressure is applied to substantially all points of influences.
  - 7. The method of claim 1, wherein the stretching step comprises hanging the patient on a horizontal bar.
- 8. The method of claim 7, wherein the patient's arms are substantially vertical.

- 9. The method of claim 7, wherein the patient's body is substantially vertical.
- 10. The method of claim 7, wherein the patient hangs from the horizontal bar by his arms.
- The method of claim 7, wherein the patient's body does not touch the floor.
  - 12. The method of claim 1, wherein the fixing state comprises hydrotherapy.
- 13. The method of claim 12, wherein the hydrotherapy comprises floating10 the patient on water while supporting the patient under the head and coccyx.
  - 14. The method of claim 12, wherein the hydrotherapy comprises water at a temperature of about 34° -36° C.
  - 15. The method of claim 1, wherein the problems in motor functions result from cerebral palsy.
- 15 16. The method of claim 1, wherein steps a), b) and c) are performed by a therapist.
  - 17. The method of claim 1, further comprising additional treatment selected from the group consisting of horse-riding therapy, music therapy, pets therapy, movement therapy, other physical therapy, and combinations thereof.

- 18. The method of claim 1, wherein the relaxing step lasts about 50-60 minutes.
- 19. The method of claim 1, wherein the stretching step lasts about 60-90 seconds.
- 5 20. The method of claim 1, wherein the fixing step lasts at least about 5 minutes.